




A Group Company of **HILTI**

SPB-RF Cable Tray System

*for electrical, instrumentation and tubing installations
light to medium loads*



SPB-RF40

SPB-RF60

SPB-RF40 cable tray system

SS = Stainless Steel (C4, C5-I, C5-M)
 ZM = Zink Aluminium Magnesium (C3, C4)
 HDG = Hot Dip Galvanized (C3)
 AL = Aluminium (C4, C5-I, C5-M)



CABLE TRAY				
Width	SS	ZM	HDG	AL
50	1371751	1373280	1302000	1303200
100	1371752	1373281	1302001	1303201
150	1371753	1373282	1302002	1303202
200	1371754	1373283	1302003	1303203
300	1371755	1373284	1302004	1303204
400	1371756	1373285	1302005	1303205
500	1371757	1373286	1302006	1303206
600	1371758	1373287	1302007	1303207

Length = 3m.

FLEXI RISER				
Width	SS	ZM	HDG	AL
50	1371775	1333300	1302101	1303228
100	1371776	1333301	1302102	1303229
150	1371777	1333302	1302103	1303230
200	1371778	1333303	1302104	1303231
300	1371779	1333304	1302105	1303232
400	1371780	1333305	1302106	1303233
500	1371781	1333306	1302107	1303234
600	1371782	1333307	1302108	1303235
Ri. Lock	1371783	-	1302109	78197

Allows free vertical angle, bending by hand.
4 x M6x12 fastener(s) included.

MODULAR RISER				
Width	SS	ZM	HDG	AL
50	60119	108669	61950	108622
100	60121	108671	61952	108624
150	60122	108672	61953	108625
200	60123	108673	61954	108626
300	60124	108674	61955	108627
400	60125	108675	61956	108628
500	60126	108676	61957	108629
600	60127	108677	61958	108630

Radius = 175mm, flexible inside and outside riser.
Can be expanded with multiple joints.
8 x M6x12 fastener(s) included.

COMBI RISER			
Width	SS	ZM	HDG
50	1302139	1333443	1302131
100	1302140	1333444	1302132
150	1302141	1333445	1302133
200	1302142	1333446	1302134
300	1302143	1333447	1302135
400	1302144	1333448	1302136
500	1302145	1333449	1302137
600	1302146	1333450	1302138

Inside and outside riser in 90° or 2 x 45°.
6 x M6x12 fastener(s) included.

CROSSPIECE			
Width	SS	ZM	HDG
50	1302628	1333413	1302622
100	1302629	1333414	1302623
150	1302630	1333415	1302624
200	1302631	1333416	1302625
300	1302632	1333417	1302626
400	1302633	1333418	1302627

Radius = 75mm.
8 x M6x12 fastener(s) included.

HINGE			
Type	SS	ZM	HDG
HH	1371811	1333387	1371810
HV	1371814	1333388	1302169

M6x12 fastener(s) included.

COVER CLAMP		
Type	SS	HDG
Standard*	1372670	1372672
Ventilated	70001	59997

Use SS for AL and HDG for ZM.
*Use 4 clamps per 3m cover.
M6x12 fastener(s) included.

Z-REDUCER				
Width	SS	ZM	HDG	AL
50	86133	1333364	86130	86267
100	86134	1333365	86131	86268
150	86136	109375	86138	86269
200	86135	1333366	86132	86280
250	86148	109512	86146	-
300	86137	109513	86147	-


Splice connector for opposite side not included.

T-PIECE				
Width	SS	ZM	HDG	AL
50	1371785	1333405	1302065	1303216
100	1371786	1333406	1302066	1303217
150	1371787	1333407	1302067	1303218
200	1371788	1333408	1302068	1303219
300	1371789	1333409	1302069	1303220
400	1371790	1333410	1302070	1303221
500	1302073	1333411	1302071	1303222
600	1302074	1333412	1302072	1303223

Radius = 75mm.
6 x M6x12 fastener(s) included.


SPLICE CONNECTOR				
Type	SS	ZM	HDG	AL*
Inside fit	1371808	1302149	-	-
Outside fit	77516	-	1371806	1372244
Splice plate	1371813	1302114	1302167	79281

Recommended to use splice plate for tray widths above 300mm, M6x12 fastener(s) included.
*Fastener(s) not included.



DIVIDER			
Type	SS	ZM	HDG
SPB-40 DI-38	88077	1302054	88078

Length = 3m.



FLAT ELBOW 45°				
Width	SS	ZM	HDG	AL
50	1371766	1333389	1302055	1333308
100	1371767	1333390	1302056	1333309
150	1371768	1333391	1302057	1333310
200	1371769	1333392	1302058	1333311
300	1371770	1333393	1302059	1333312
400	1371771	1333394	1302060	1333313
500	-	1333395	-	1333314
600	-	1333396	-	1333315

Radius = 75mm.
4 x M6x12 fastener(s) included.

FLAT ELBOW 90°				
Width	SS	ZM	HDG	AL
50	1371760	1333397	1302045	1303208
100	1371761	1333398	1302046	1303209
150	1371762	1333399	1302047	1303210
200	1371763	1333400	1302048	1303211
300	1371764	1333401	1302049	1303212
400	1371765	1333402	1302050	1303213
500	79036	1333403	1302051	1303214
600	79037	1333404	1302052	1303215

Radius = 75mm.
4 x M6x12 fastener(s) included.

FLAT ELBOW FLEXI 0-90°			
Width	SS	ZM	HDG
50	60269	1333421	60260
100	60271	1333422	60262
150	60272	1333423	60263
200	60273	1333424	60264
300	60274	1333425	60265
400	60275	1333426	60266
500	60276	1333427	60267
600	60277	1333428	60268

Any required angle from 0 to 90°.
4 x M6x12 fastener(s) included.

COVER STRAIGHT				
Width	SS	ZM	HDG	AL
50	1302603	1303248	1302600	81770
100	1302604	1303250	1302601	81771
150	1302605	1303251	1302602	81772
200	1302606	1303252	1371563	78560
300	1302607	1303253	1371564	78561
400	1302608	1303254	1371565	78562
500	1302609	1303255	1371567	78563
600	1302610	1303256	1371568	78565

Length = 3m.
Cover for fittings available on request.



This poster shows the main/most used parts of the SPB-RF40 system. For a full overview of the SPB-RF System view our products online: oglaend-system.com/products

Certificates - please contact us for exact application.



Please note! Whilst every effort has been made to ensure the accuracy of the content, our systems and products are under continual improvement and development, therefore we reserve the right to make changes to products or specification without prior notice. Product graphics are intended to be representative, however small differences in actual products may occur.

SPB-RF60 cable tray system

SS = Stainless Steel (C4, C5-I, C5-M)
 ZM = Zink Aluminium Magnesium (C3, C4)
 HDG = Hot Dip Galvanized (C3)
 AL = Aluminium (C4, C5-I, C5-M)




CABLE TRAY		
Width	SS	HDG
100	81415	68972
150	83150	68973
200	83151	68974
300	83152	68975
400	83153	68976
500	83154	68977
600	89356	69727

Length = 3m.
 Material thickness = 1,5mm
 (2mm also available).

CABLE TRAY FOR LIGHTING		
Width	SS	HDG
100	1302201	1302200

Length = 3m.
 Material thickness = 1,5mm.



The square perforations are suited for routing cables through the cable tray.

T-PIECE		
Width	SS	HDG
100	1302209	1302208
150	109065	109017
200	109073	109025
300	109081	109033
400	109089	109041
500	109097	109049
600	109105	109057

Radius = 75mm,
 12 x M6x12 fastener(s) included.

COVER		
Width	SS	HDG
100	1302604	1302601
150	1302605	1302602
200	1302606	1371563
300	1302607	1371564
400	1302608	1371565
500	1302609	1371567
600	1302610	1371568

Length = 3m, cover for 45°/90° bend,
 t-pieces and crosspieces on request.

FLAT ELBOW 45°		
Width	SS	HDG
100	109115	109107
150	109116	109108
200	109117	109109
300	109118	109110
400	109119	109111
500	109120	109112
600	109121	109113

Radius = 75mm.
 8 x M6x12 fastener(s) included.

FLAT ELBOW 90°		
Width	SS	HDG
100	1302203	1302202
150	109003	108996
200	109004	108997
300	109005	108998
400	109006	108999
500	109007	109000
600	109008	109001

Radius = 75mm.
 8 x M6x12 fastener(s) included.

END CAP		
Width	SS	HDG
100	1300747	1300740
150	1300748	1300073
200	1300749	1300074
300	1300750	1300075
400	1300751	1300076
500	1300752	1300745
600	1300753	1300746

2 x M6x12 fastener(s) included.

FLEXI RISER		
Width	SS	HDG
100	108071	108064
150	108072	108065
200	108073	108066
300	108074	108067
400	108075	108068
500	108076	108069
600	108077	108070

Radius = 75mm, flexible inside and
 outside riser 0-90°. Bent by hand.
 10 x M6x12 fastener(s) included.

COMBI RISER		
Width	SS	HDG
100	1302148	1302147
150	83180	83175
200	83181	83176
300	83182	83177
400	83183	88061
500	83184	83193
600	83195	83194

Radius = 67.5mm. Inside and outside
 riser in 90° or 2 x 45°.
 10 x M6x12 fastener(s) included.

MODULAR RISER		
Width	SS	HDG
100	60138	51969
150	60139	51970
200	60140	51971
300	60141	51972
400	60142	51973
500	60143	51974
600	60144	51975

Radius = 175mm, flexible inside
 and outside riser. Can be expanded with
 multiple joints. 8 x M6x12 fastener(s)
 included.

CROSSPIECE		
Width	SS	HDG
100	109166	109138
150	109168	109140
200	109171	109143
300	109175	109147
400	109180	109152
500	109186	109158
600	109193	109165

Radius = 75mm,
 16 x M6x12 fastener(s) included.

SPLICE ANGLE		
Type	SS	HDG
Horizontal	1302213	1302212
Vertical*	1302215	1302214

4 x M6x12 fastener(s) included.
 *Hinge set, adjustment in steps of 7,5°.

DIVIDER		
Type	SS	HDG
SPB-RF60 DI	57640	57641

3 x M6x12 fastener(s) included.
 Length = 3m.

Z-REDUCER		
Width	SS	HDG
50	108901	108896
100	108902	108897
150	108903	108898
200	108904	108899
300	108905	108900



Splice connector for opposite
 side are not included.
 4 x M6x12 fastener(s) included.

ELBOW FLEXI 0°-90°		
Width	SS	HDG
100	60287	60279
150	60288	60280
200	60289	60281
300	60290	60282
400	60291	60283
500	60292	60284
600	60293	60285

Any required angle from 0-90°,
 4 x M6x12 fastener(s) included.

SPLICE CONNECTOR		
Type	SS	HDG
Inside fit	1306914	1306915
Splice plate	1371813	1302167
U-shaped	1302211	1302210

Recommended to use splice plate for
 tray widths above 300mm,
 M6x12 fastener(s) included.




This poster shows the main/most used parts of the SPB-RF60 system. For a full overview of the SPB-RF System view our products online: oglaend-system.com/products

Certificates - please contact us for exact application.



Please note! Whilst every effort has been made to ensure the accuracy of the content, our systems and products are under continual improvement and development, therefore we reserve the right to make changes to products or specification without prior notice. Product graphics are intended to be representative, however small differences in actual products may occur.



A Group Company of **HILTI**

Øglænd System AS
Engelsvollvegen 264
N-4353 Klepp stasjon, Norway

Phone: (+47) 51 78 81 00
E-mail: oglaend@oglaend-system.com

Order/purchase orders:
ordre@oglaend-system.com

www.oglaend-system.com

