


FTE Cable Tray System

FRP tray for highly corrosive environments



FTE50

FTE80

FTE50 cable tray system

FRP = Fibre Reinforced Polymer (C4, C5-I, C5-M)
SS = Stainless Steel (C4, C5-I, C5-M)



CABLE TRAY	
Width	FRP
50	74400
100	74401
150	74399
200	74402
300	74403
400	71460
600	71558

Length = 3m

FLAT ELBOW 45°	
Width	FRP
50	74575
100	74576
150	74574
200	74577
300	74578
400	71464
600	71560

Radius = 420mm

FLAT ELBOW 90°	
Width	FRP
50	74568
100	74569
150	74572
200	74570
300	74571
400	71463
600	71559

Radius = 250mm

RADIUS T-PIECE	
Width	FRP
50	71629
100	71630
150	71631
200	71632
300	71633
400	71634
600	71635

Radius = 300mm

T-PIECE	
Width	FRP
50	74660
100	74661
150	74659
200	74662
300	74663
400	71465
600	71561

Space-saving t-piece.

CROSSPIECE	
Width	FRP
50	72299
100	70830
150	70829
200	70831
300	70840
400	70841
600	70832

Space saving crosspiece.


COVER FIXING CLAMP	
Width	FRP
50	73930
100	73931
150	73929
200	73932
300	73933
400	71491
600	71563

Cover fixing clamp for use in high winds. Cover clamps not required for material up to 300mm wide, as covers are snap-on.

COVER CLAMP	
Type	SS
Cover clip	71352

COVER	
Width	FRP
50	74450
100	74451
150	74449
200	74452
300	74453
400	71462
600	71570

Length = 3m.
Cover for bend, reducers, t-pieces and crosspieces on request.



All products use SS fasteners as standard (Rung fixing uses nylon smartlock plus SS bolt). All fittings are assembled using SS angle plates as standard. Composite bolt sets and angle plates are available as an option for most standard products.

END COVER	
Width	FRP
50	74727
100	74728
150	74885
200	74729
300	74730
400	71492
600	71564

Fastener(s) included.

SPLICE CONNECTOR			
Type	FRP	SS	
Standard splice	75043	74880	
Expansion splice	71608	71691	
Splice angle horizontal 90°	70436	74870	
Splice angle horizontal 45°	75041	74872	

2 x M6x16 fastener(s) included.

FIXING CLAMPS		
Type	SS	FRP
FC-HO-M10	74492	-
FC-M6/10	74783	72024

REDUCER PART	
Width	FRP
50	70438
150	70440
200	70441
300	71606

SMART JIG	
SS	FRP
	74397

To pre-drill holes in exact positions when cutting tray lengths on-site.

HINGE		
Type	FRP	SS
Hinge vertical	75044	74882*


M6x16 fastener(s) included.
*Adjust in steps of 4°.

DIVIDER	
Type	FRP
Straight	74540

Length = 3m,
4 x M6x16 fastener(s) included.

COMBI RISER			
Width	FRP	SS	
50	75046	74670	
100	75047	74671	
150	75039	74669	
200	75048	74672	
300	75049	74673	
400	71642	71490	
600	71644	71562	

Supplied as inside riser. Turn the splice plates over to make an outside riser.



This poster shows the main/most used parts of the FTE50 system. For a full overview of the FTE system view our products online: oglaend-system.com/products

Certificates - please contact us for exact application.



Please note! Whilst every effort has been made to ensure the accuracy of the content, our systems and products are under continual improvement and development, therefore we reserve the right to make changes to products or specifications without prior notice. Product graphics are intended to be representative, however small differences in actual products may occur.

FTE80 cable tray system

FRP = Fibre Reinforced Polymer (C4, C5-I, C5-M)
SS = Stainless Steel (C4, C5-I, C5-M)



CABLE TRAY	
Width	FRP
50	74410
100	74411
150	74409
200	74412
300	74413
400	71461
600	73879
Length = 3m	

FLAT ELBOW 45°	
Width	FRP
50	74590
100	74591
150	74589
200	74592
300	74593
400	71494
600	73903
Radius = 420mm	

FLAT ELBOW 90°	
Width	FRP
50	74582
100	74583
150	74581
200	74584
300	74585
400	71493
600	73902
Radius = 250mm	

RADIUS T-PIECE	
Width	FRP
50	71636
100	71637
150	71638
200	71639
300	71640
400	71641
600	73905
Radius = 300mm	

T-PIECE	
Width	FRP
50	74664
100	74665
150	74668
200	74666
300	74667
400	71495
600	73904
Space saving t-piece.	

CROSSPIECE	
Width	FRP
50	70839
100	70833
150	70834
200	70835
300	70836
400	70837
600	70838
Space saving crosspiece.	

COVER FIXING CLAMP	
Width	FRP
50	73934
100	73935
150	73938
200	73936
300	73937
400	71497
600	73908
Cover fixing clamp for use in high winds. Cover clamps not required for material up to 300mm wide, as covers are snap-on.	

COVER CLAMP	
Type	SS
Cover clip	71459

COVER	
Width	FRP
50	74450
100	74451
150	74449
200	74452
300	74453
400	71462
600	71570
Length = 3m. Cover for bend, reducers, t-pieces and crosspieces on request.	

END COVER	
Width	FRP
50	74731
100	74732
150	74886
200	74733
300	74734
400	71498
Fastener(s) included.	

SPLICE CONNECTOR		
Type	FRP	SS
Standard splice	75052	74881
Expansion splice	71609	71692
Splice angle horizontal 90°	70437	74871
Splice angle vertical 45°	75042	74873
M6x16 fastener(s) included.		

FIXING CLAMPS		
Type	SS	FRP
FC-HO-M10	74492	-
FC-M6/10	74783	72024


REDUCER PART	
Width	FRP
50	70442
150	70445
200	70446
300	71607

DRILL JIG	
SS	FRP
	74397
To pre-drill holes in exact positions when cutting tray lengths on-site.	


HINGE		
Type	FRP	SS
Hinge vertical	75053	74883
Fastener(s) included. *Adjust in steps of 4°.		

DIVIDER	
Type	FRP
Straight	74541
Length = 3m, 4 x M6x16 fastener(s) included.	

COMBI RISER		
Width	FRP	SS
50	75072	74674
100	75073	74675
150	75074	74678
200	75075	74676
300	75076	74677
400	71643	71496
600	75369	73906
Supplied as inside riser. Turn the splice plates over to make an outside riser.		



All products use **SS fasteners as standard** (Rung fixing uses nylon smartlock plus SS bolt). All fittings are assembled using **SS angle plates as standard**. **Composite bolt sets and angle plates are available as an option** for most standard products.



This poster shows the main/most used parts of the FTE80 system. For a full overview of the FTE system view our products online: oglaend-system.com/products

Certificates - please contact us for exact application.

Please note! Whilst every effort has been made to ensure the accuracy of the content, our systems and products are under continual improvement and development, therefore we reserve the right to make changes to products or specification without prior notice. Product graphics are intended to be representative, however small differences in actual products may occur.



A Group Company of **HILTI**

Øglænd System AS
Engelsvollvegen 264
N-4353 Klepp stasjon, Norway

Phone: (+47) 51 78 81 00
E-mail: oglaend@oglaend-system.com

Order/purchase orders:
ordre@oglaend-system.com

www.oglaend-system.com

